





Zeron Mini

Series



		LED Power	Lumens (at 3000K)	Beam	Weight
1	Surface Mounted Downlight	7W (500mA)	545lm	40°	557g
2	Fixed One Wall Light	7W (500mA)	545lm	40°	582g
3	Fixed Two Wall Light	14W (500mA)	833lm	40°	768g


Key Information		Design		Performance		Driver	
Mounting	Ceiling Surface, Wall Surface	Material	Powder Coated Aluminium	Lumen efficacy	Up to 74lm/W	Phase Cut	Built-in
Finish	<input type="checkbox"/> Textured Black <input type="checkbox"/> Textured White	IP Rating	IP65	CRI (Ra/R9)	80+ (R9: >0)	DALI	Remote
LED CCT	<input type="checkbox"/> 3000K <input type="checkbox"/> 4000K	Class Rating	Class I	Lifetime (Ta 25°C)	>55,000h L80B10	Bluetooth	Remote
Warranty	3 Years			Ambient Temperature Range	10°- 30°C		
				SDCM	≤3		







Zeron Mini

Series



Zeron Mini
Fixed Two Wall Light
14W
Textured Black
JungSoo Garden,
Sidewood Estate



Zeron Mini
Fixed Two Wall Light
14W
Textured Black
North Adelaide

Zeron Mini
Fixed Two Wall Light
14W
Textured White
Infinity Views

Zeron Mini

Series

